

Candidate forename						Candidate surname					
Centre number						Candidate number					

OXFORD CAMBRIDGE AND RSA EXAMINATIONS
AS GCE
G482
PHYSICS A

Electrons, Waves and Photons

FRIDAY 25 MAY 2012: Afternoon

DURATION: 1 hour 45 minutes

MODIFIED ENLARGED

Candidates answer on the Question Paper.

OCR SUPPLIED MATERIALS:

**Data, Formulae and Relationships Booklet
(sent with general stationery)**

OTHER MATERIALS REQUIRED:


Electronic calculator

READ INSTRUCTIONS OVERLEAF

INSTRUCTIONS TO CANDIDATES

- **Write your name, centre number and candidate number in the boxes on the first page. Please write clearly and in capital letters.**
- **Use black ink. HB pencil may be used for graphs and diagrams only.**
- **Answer ALL the questions.**
- **Read each question carefully. Make sure you know what you have to do before starting your answer.**
- **Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.**

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 100.
- You may use an electronic calculator.
-  Where you see this icon you will be awarded marks for the quality of written communication in your answer.
- This means for example you should:
 - ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear;
 - organise information clearly and coherently, using specialist vocabulary when appropriate.

Answer ALL the questions.

1 The power of a 230V mains filament lamp is 40W.

(a) Define power.

_____ [1]

**(b) The lamp is connected to the 230V supply.
Calculate**

(i) the current I in the filament

$I =$ _____ A [2]

(ii) the resistance R of the filament.

$R =$ _____ Ω [1]

(c) The cross-sectional area of the wire of the filament is $3.0 \times 10^{-8} \text{ m}^2$. The resistivity of the filament when the lamp is lit is $7.0 \times 10^{-5} \Omega \text{ m}$. Use your answer to (b)(ii) to calculate the length L of the filament wire.

$L =$ _____ m [3]

- (d) Explain whether the filament of a 60W, 230V lamp is thicker or thinner than that of the 40W, 230V lamp. The length and material of the filament are the same in both lamps.

[3]

- (e) The 40W filament lamp is left on for 8 hours.

- (i) Calculate the charge Q passing through the lamp in this time.

$Q =$ _____ C [2]

(ii) 1 Define the kilowatt-hour.

_____ [1]

2 Calculate the cost of leaving the lamp switched on. The cost of 1 kWh is 22 p.

cost = _____ p [2]

[Total: 15]

2 Fig. 2.1 shows the I – V characteristic of a light-emitting diode (LED).




Fig. 2.1

(a) (i) Use Fig. 2.1 to

1 state the value of the resistance R below 1.4V.

$R =$ _____ Ω [1]

2 determine the resistance R of the LED at $V = 1.8V$.

$R =$ _____ Ω [2]

(ii) At voltages V above 1.8V, state whether the resistance of the LED increases, remains the same or decreases as V increases. Justify your answer.



In your answer you should link features of the graph into your justification.

[3]

- (b) A circuit is set up to obtain the I – V characteristic shown in Fig. 2.1. It consists of a variable 0–6.0V d.c. power supply connected in SERIES to a $100\ \Omega$ resistor and the LED. Fig. 2.2 shows the variable supply. Draw the resistor, LED and suitable meters on the diagram between terminals X and Y to complete the circuit required for the experiment. [4]




Fig. 2.2

- (c) One or more LEDs are often used in places where, in the past, a filament lamp would have been used. Give ONE example of such a situation. Explain ONE advantage of using LEDs in place of a filament lamp in the situation you have chosen.**

[2]

[Total: 12]

- 3 Fig. 3.1 shows how the resistance of a thermistor varies with temperature.**




Fig. 3.1

The thermistor is used in the potential divider circuit of Fig. 3.2 to monitor the temperature of an oven. The 6.0V d.c. supply has zero internal resistance and the voltmeter has infinite resistance.




Fig. 3.2

- (a) State and explain how the current I in the circuit changes as the thermistor is heated.**

[3]

- (b) Use Fig. 3.1 to calculate the voltmeter reading when the temperature of the oven is 240°C .

voltmeter reading = _____ V [4]

- (c) A light-dependent resistor (LDR) is another component used in sensing circuits.

- (i) Complete Fig. 3.3 with an LDR between X and Y.




Fig. 3.3

[1]

- (ii) State with a reason how the voltmeter reading varies as the intensity of the light incident on the LDR increases.

[2]

[Total: 10]

- 4 Fig. 4.1 shows part of a circuit where three resistors are connected together.




Fig. 4.1

The current in the $4.0\ \Omega$ resistor is $0.30\ \text{A}$.

- (a) Explain why the current in the $6.0\ \Omega$ resistor is $0.20\ \text{A}$.

[2]

- (b) (i) State the law which enables you to calculate the current in the $5.6\ \Omega$ resistor.

[1]

(ii) Calculate the current in the $5.6\ \Omega$ resistor.

current = _____ A [1]

(c) Calculate the total resistance R of the combination of resistors.

$R =$ _____ Ω [3]

(d) To cause the current of 0.30 A in the $4.0\ \Omega$ resistor, the resistor combination is connected to a d.c. supply of electromotive force (e.m.f.) 5.0V.

(i) Explain the term *e.m.f.*

[2]

(ii) Show that the terminal potential difference across the supply is 4.0V.

[1]

(iii) Calculate the internal resistance of the supply.

internal resistance = _____ Ω [2]

[Total: 12]

5 This question is about electrons and photons.

- (a) Both electrons and photons can be considered as particles. State TWO differences between their properties.**

[2]

- (b) An electron is accelerated from rest through a p.d. of 5000V.**

- (i) Show that the energy gained by the electron is $8.0 \times 10^{-16} \text{ J}$.**

[2]

- (ii) Show that the speed of the electron is about $4 \times 10^7 \text{ m s}^{-1}$.**

[3]

- (c) (i) Explain what is meant by the de Broglie wavelength of an electron.**

[1]

- (ii) Calculate the de Broglie wavelength of the electron in (b).**

wavelength = _____ m [3]

- (d) Calculate the wavelength of a photon of energy $8.0 \times 10^{-16} \text{ J}$.**

wavelength = _____ m [3]

- (e) Photons of energy $9.0 \times 10^{-19} \text{ J}$ are incident on a clean tungsten surface causing electrons to be emitted.**

- (i) State the name of this process.**

_____ [1]

- (ii) Calculate the maximum kinetic energy of the emitted electrons. Tungsten has a work function of $7.2 \times 10^{-19} \text{ J}$.**

maximum kinetic energy = _____ J [2]

(iii) Explain why your answer to (ii) is a maximum value.

[2]

[Total: 19]

BLANK PAGE

6 (a) Define the following terms as applied to wave motion

(i) displacement and amplitude

[2]

(ii) frequency and phase difference.

[2]

- (b) Fig. 6.1 opposite shows a transverse pulse on a *slinky*, an open wound spring, at time $t = 0$. The pulse is travelling at a speed of 0.50 m s^{-1} from left to right. The front of the pulse is at point X, 0.25 m from the point P.




Fig. 6.1

On Fig. 6.2 opposite draw a displacement y against time t graph of the motion of point P on the slinky from $t = 0$ to $t = 2.5$ s. [4]

[Total: 8]




Fig. 6.2

7 Fig. 7.1 opposite shows the three lowest energy levels of the hydrogen atom, labelled $n = 1, 2$ and 3 .

- (a) (i) Explain why electron transitions between the energy levels can produce three different wavelengths of radiation. You may draw lines on Fig. 7.1 to illustrate your explanation.**

[3]

- (ii) The strong red line in the hydrogen spectrum has a wavelength of $6.56 \times 10^{-7} \text{ m}$.**

1 Calculate the energy of the photon at this wavelength.

energy = _____ J [2]




Fig. 7.1

2 Use Fig. 7.1 to identify the electron transition responsible for the spectral line of this wavelength.

_____ [1]

(b) A parallel beam of light from a hydrogen lamp is incident on a diffraction grating. The first order red spectral line at $6.56 \times 10^{-7} \text{ m}$ is seen at an angle of 11.4° as shown in Fig. 7.2.




Fig. 7.2

(i) Calculate

1 the separation d of the lines on the grating

$d =$ _____ m [3]

2 the number of lines per millimetre on the grating.

number = _____ lines mm⁻¹ [1]

- (ii) The hydrogen lamp also emits blue light at a wavelength of 4.86×10^{-7} m.**

Draw rays on Fig. 7.2 to indicate roughly, that is without calculation, the direction of the FIRST order blue spectral line as the rays leave the grating. [1]

[Total: 11]

- 8 (a) State two properties shared by all electromagnetic waves which distinguish them from all other waves.

[2]

- (b) The two columns below list four regions of the electromagnetic spectrum and four orders of magnitude of wavelength in m.

REGION	WAVELENGTH/m
microwaves	10^{-12}
ultra violet light	10^{-8}
gamma rays	10^{-6}
infra red light	10^{-4}

Draw a straight line from each REGION box to the corresponding WAVELENGTH box. [2]

- (c) Fig. 8.1 shows a microwave receiver R placed between a microwave transmitter T and a flat metal sheet.




Fig. 8.1

- (i) Explain why R receives two signals of different amplitude but of the same frequency.

[2]

- (ii) Explain why the strength of the detected signal varies between maximum and minimum values as R is moved towards or away from the metal sheet.



In your answer you should make clear how the maxima and minima occur.

[3]

- (iii) Determine the wavelength of the microwaves given that the distance between adjacent positions of maximum and minimum signal strength is 7.5 mm.

wavelength = _____ mm [1]

- (iv) The amplitude of the signal from the transmitter is a . The amplitude of the two signals detected at R are $0.8a$ and $0.6a$. The changes in amplitude of the detected signals are negligible as R moves 7.5 mm. Show that the ratio

$$\frac{\text{maximum intensity of detected signal}}{\text{minimum intensity of detected signal}}$$

is about 50.

[3]

[Total: 13]

END OF QUESTION PAPER

ADDITIONAL PAGE

If additional space is required, you should use the lined pages below. The question number(s) must be clearly shown.

[illegible]

ADDITIONAL PAGE

[illegible]

[illegible]

[illegible]

BLANK PAGE

BLANK PAGE

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.