

Friday 6 June 2014 – Afternoon

A2 GCE MATHEMATICS (MEI)

4757/01 Further Applications of Advanced Mathematics (FP3)

QUESTION PAPER

Candidates answer on the Printed Answer Book.

OCR supplied materials:

- Printed Answer Book 4757/01
- MEI Examination Formulae and Tables (MF2)

Duration: 1 hour 30 minutes

Other materials required:

• Scientific or graphical calculator

INSTRUCTIONS TO CANDIDATES

These instructions are the same on the Printed Answer Book and the Question Paper.

- The Question Paper will be found inside the Printed Answer Book.
- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book. Please write clearly and in capital letters.
- Write your answer to each question in the space provided in the Printed Answer Book. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Answer any **three** questions.
- Do **not** write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.

INFORMATION FOR CANDIDATES

This information is the same on the Printed Answer Book and the Question Paper.

- The number of marks is given in brackets [] at the end of each question or part question on the Question Paper.
- You are advised that an answer may receive **no marks** unless you show sufficient detail of the working to indicate that a correct method is being used.
- The total number of marks for this paper is **72**.
- The Printed Answer Book consists of **20** pages. The Question Paper consists of **8** pages. Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

• Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

- 1 Three points have coordinates A(-3, 12, -7), B(-2, 6, 9), C(6, 0, -10). The plane *P* passes through the points A, B and C.
 - (i) Find the vector product $\overrightarrow{AB} \times \overrightarrow{AC}$. Hence or otherwise find an equation for the plane P in the form ax + by + cz = d. [5]

The plane Q has equation 6x + 3y + 2z = 32. The perpendicular from A to the plane Q meets Q at the point D. The planes P and Q intersect in the line L.

(ii)	Find the distance AD.	[3]
(iii)	Find an equation for the line <i>L</i> .	[5]
(iv)	Find the shortest distance from A to the line <i>L</i> .	[6]
(v)	Find the volume of the tetrahedron ABCD.	[5]

Option 2: Multi-variable calculus

2 A surface *S* has equation g(x, y, z) = 0, where $g(x, y, z) = x^2 + 3y^2 + 2z^2 + 2yz + 6xz - 4xy - 24$. P(2, 6, -2) is a point on the surface *S*.

(i) Find
$$\frac{\partial g}{\partial x}$$
, $\frac{\partial g}{\partial y}$ and $\frac{\partial g}{\partial z}$. [3]

- (ii) Find the equation of the normal line to the surface *S* at the point P. [3]
- (iii) The point Q is on this normal line and close to P. At Q, g(x, y, z) = h, where h is small. Find, in terms of h, the approximate perpendicular distance from Q to the surface S. [4]
- (iv) Find the coordinates of the two points on the surface at which the normal line is parallel to the y-axis.

[6]

(v) Given that 10x - y + 2z = 6 is the equation of a tangent plane to the surface S, find the coordinates of the point of contact. [8]

Option 3: Differential geometry

- 3 (a) A curve has intrinsic equation $s = 2 \ln \left(\frac{\pi}{\pi 3\psi}\right)$ for $0 \le \psi < \frac{1}{3}\pi$, where *s* is the arc length measured from a fixed point P and $\tan \psi = \frac{dy}{dx}$. P is in the third quadrant. The curve passes through the origin O, at which point $\psi = \frac{1}{6}\pi$. Q is the point on the curve at which $\psi = \frac{3}{10}\pi$.
 - (i) Express ψ in terms of s, and sketch the curve, indicating the points O, P and Q. [4]
 - (ii) Find the arc length OQ. [3]
 - (iii) Find the radius of curvature at the point O. [3]
 - (iv) Find the coordinates of the centre of curvature corresponding to the point O. [3]
 - (b) (i) Find the surface area of revolution formed when the curve $y = \frac{1}{3}\sqrt{x}(x-3)$ for $1 \le x \le 4$ is rotated through 2π radians about the *y*-axis. [7]
 - (ii) The curve in part (b)(i) is one member of the family $y = \frac{1}{9}\lambda\sqrt{x}(x-\lambda)$, where λ is a positive parameter. Find the equation of the envelope of this family of curves. [4]

Option 4: Groups

4 The twelve distinct elements of an abelian multiplicative group *G* are

where *e* is the identity element, $a^6 = e$ and $b^2 = e$.

- (i) Show that the element a^2b has order 6. [3]
- (ii) Show that $\{e, a^3, b, a^3b\}$ is a subgroup of G. [3]
- (iii) List all the cyclic subgroups of G.

You are given that the set

$$H = \{1, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47, 49, 53, 59, 61, 67, 71, 73, 77, 79, 83, 89\}$$

with binary operation multiplication modulo 90 is a group.

(iv) Determine the order of each of the elements 11, 17 and 19.	[4]
---	-----

- (v) Give a cyclic subgroup of *H* with order 4.
- (vi) By identifying possible values for the elements *a* and *b* above, or otherwise, give one example of each of the following:
 - (A) a non-cyclic subgroup of H with order 12, [3]
 - (B) a non-cyclic subgroup of H with order 4. [3]

[6]

[2]

Option 5: Markov chains

This question requires the use of a calculator with the ability to handle matrices.

5 In this question, give probabilities correct to 4 decimal places.

The speeds of vehicles are measured on a busy stretch of road and are categorised as A (not more than 30 mph), B (more than 30 mph but not more than 40 mph) or C (more than 40 mph).

- Following a vehicle in category A, the probabilities that the next vehicle is in categories A, B, C are 0.9, 0.07, 0.03 respectively.
- Following a vehicle in category B, the probabilities that the next vehicle is in categories A, B, C are 0.3, 0.6, 0.1 respectively.
- Following a vehicle in category C, the probabilities that the next vehicle is in categories A, B, C are 0.1, 0.7, 0.2 respectively.

This is modelled as a Markov chain with three states corresponding to the categories A, B, C. The speed of the first vehicle is measured as 28 mph.

(i)	Write down the transition matrix P .	[2]
-----	---	-----

- (ii) Find the probabilities that the 10th vehicle is in each of the three categories. [3]
- (iii) Find the probability that the 12th and 13th vehicles are in the same category. [4]
- (iv) Find the smallest value of n for which the probability that the nth and (n+1)th vehicles are in the same category is less than 0.8, and give the value of this probability. [4]
- (v) Find the expected number of vehicles (including the first vehicle) in category A before a vehicle in a different category.
- (vi) Find the limit of \mathbf{P}^n as *n* tends to infinity, and hence write down the equilibrium probabilities for the three categories. [3]
- (vii) Find the probability that, after many vehicles have passed by, the next three vehicles are all in category A.

On a new stretch of road, the same categories are used but some of the transition probabilities are different.

- Following a vehicle in category A, the probability that the next vehicle is in category B is equal to the probability that it is in category C.
- Following a vehicle in category B, the probability that the next vehicle is in category A is equal to the probability that it is in category C.
- Following a vehicle in category C, the probabilities that the next vehicle is in categories A, B, C are 0.1, 0.7, 0.2 respectively.

In the long run, the proportions of vehicles in categories A, B, C are 50%, 40%, 10% respectively.

(viii) Find the transition matrix for the new stretch of road.

[4]

END OF QUESTION PAPER

BLANK PAGE

BLANK PAGE

BLANK PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.