

**Wednesday 7 June 2017 – Morning**

**A2 GCE MATHEMATICS (MEI)**

**4757/01** Further Applications of Advanced Mathematics (FP3)

**QUESTION PAPER**

Candidates answer on the Printed Answer Book.


**OCR supplied materials:**

- Printed Answer Book 4757/01
- MEI Examination Formulae and Tables (MF2)

**Other materials required:**

- Scientific or graphical calculator

**Duration:** 1 hour 30 minutes



## INSTRUCTIONS TO CANDIDATES

These instructions are the same on the Printed Answer Book and the Question Paper.

- The Question Paper will be found inside the Printed Answer Book.
- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book. Please write clearly and in capital letters.
- **Write your answer to each question in the space provided in the Printed Answer Book.** Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Answer any **three** questions.
- Do **not** write in the barcodes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.

## INFORMATION FOR CANDIDATES

This information is the same on the Printed Answer Book and the Question Paper.

- The number of marks is given in brackets [ ] at the end of each question or part question on the Question Paper.
- You are advised that an answer may receive **no marks** unless you show sufficient detail of the working to indicate that a correct method is being used.
- The total number of marks for this paper is **72**.
- The Printed Answer Book consists of **24** pages. The Question Paper consists of **8** pages. Any blank pages are indicated.

## INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

- Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

*Option 1: Vectors*

- 1 Four points have coordinates  $A(0, 1, -4)$ ,  $B(5, 6, 1)$ ,  $C(6, 1, 4)$  and  $D(-6, 1, 1)$ .
- (i) Find the shortest distance from A to the line CD. [5]
  - (ii) Show that the shortest distance between the lines AB and CD is  $\sqrt{26}$ . [5]
  - (iii) Find points P and Q, lying on AB and CD respectively, such that PQ is of length  $\sqrt{26}$ . [6]
  - (iv) Explain why the lengths found in parts (i) and (ii) are not the same. [1]
  - (v) Find the equation of the plane  $\Pi$  that contains the line CD and is parallel to the line AB. [3]
  - (vi) You are given that the point E  $(0, -1, 1)$  lies on  $\Pi$ . Find the volume of the tetrahedron PECD. [4]

*Option 2: Multi-variable calculus*

- 2 A surface has equation  $z = (x^2 + y^2)(x + 1)$ .
- (i) (A) Show that there is a stationary point at the origin. [4]
  - (B) By considering small values of  $x$  and  $y$  find the nature of this stationary point. [3]
  - (ii) (A) Show that there is exactly one other stationary point. Find its coordinates. [3]
  - (B) By considering sections of the surface at this stationary point, show that this point is neither a maximum nor a minimum. [6]
  - (iii) The point  $P(1, 1, 4)$  lies on the surface and the point  $Q(1 + h, 1 + h, 4 + k)$  is a point on the surface close to P.  
Find an approximate expression for  $k$  in terms of  $h$ . [4]
  - (iv) Find the equation of the tangent plane to the surface at point P. [4]

*Option 3: Differential geometry*

3 A curve has parametric equations  $x = a(\theta + \sin \theta)$ ,  $y = a(1 - \cos \theta)$ , for  $0 \leq \theta \leq 2\pi$  where  $a$  is a positive constant. The point A on the curve has parameter  $\theta = \frac{1}{2}\pi$ .

(i) Show that

(A) the curve passes through the origin, [1]

(B) the arc length,  $s$ , from the origin to the point A is  $2a\sqrt{2}$ . [6]

(ii) The curve from O to A is rotated through  $2\pi$  about the  $x$ -axis. Find the area of the curved surface generated. [5]

(iii) Find

(A) the intrinsic equation of the curve, [4]

(B) the centre of curvature for point A. [8]

## Option 4: Groups

- 4 (a) The composition table for a group  $G$  of order 6 is given below.

	$a$	$b$	$c$	$d$	$e$	$f$
$a$	$c$	$f$	$e$	$b$	$a$	$d$
$b$	$f$	$a$	$d$	$e$	$b$	$c$
$c$	$e$	$d$	$a$	$f$	$c$	$b$
$d$	$b$	$e$	$f$	$c$	$d$	$a$
$e$	$a$	$b$	$c$	$d$	$e$	$f$
$f$	$d$	$c$	$b$	$a$	$f$	$e$

- (i) State the identity element. [1]
- (ii) State the order of each element. [3]
- (iii) Write down the inverse of each element. [3]
- (iv) Determine whether  $G$  is cyclic. [2]
- (v) List all the proper subgroups. Comment on the order of these groups in relation to Lagrange's theorem. [3]
- (vi) Specify an isomorphism between  $G$  and the group  $F$  consisting of  $\{1,2,3,4,5,6\}$  under multiplication modulo 7. [4]
- (b) A group  $H$  is commutative and has  $e$  as its identity element. Three elements of the group,  $a$ ,  $b$ , and  $c$  have order 2, 3, and 5 respectively. The order of  $H$  is the minimum value consistent with these properties.
- (i) State the order of  $H$ . [1]
- (ii) Prove that the order of  $ab$  is 6. [4]
- (iii) Prove that  $H$  is cyclic. [3]

*Option 5: Markov chains*

**This question requires the use of a calculator with the ability to handle matrices.**

- 5 Two bags, A and B, have a total of 3 balls in them. An event is to choose a ball at random, find the bag it is currently in, and transfer the ball to the other bag.

The transition matrix,  $\mathbf{M}$ , for the number of balls in bag A is shown below.

$$\mathbf{M} = \begin{pmatrix} 0 & \frac{1}{3} & 0 & 0 \\ 1 & 0 & \frac{2}{3} & 0 \\ 0 & \frac{2}{3} & 0 & 1 \\ 0 & 0 & \frac{1}{3} & 0 \end{pmatrix}$$

- (i) Explain carefully the contents of the second column. [3]
- (ii) Explain what is meant by a reflecting barrier in a Markov chain. Identify any reflecting barriers in this situation. [3]
- (iii) Find  $\mathbf{M}^4$  and  $\mathbf{M}^5$ . [4]
- (iv) Find the limiting values of  $\mathbf{M}^{2n}$  and  $\mathbf{M}^{2n+1}$  as  $n$  tends to infinity. [4]
- (v) Find the equilibrium probabilities that bag A contains 0, 1, 2 or 3 balls. Comment on your answer in relation to the results of part (iv). [4]
- (vi) Find the probability that bag A contains the same number of balls after 15 stages that it did after 12 stages. Show clearly how you obtain your answer. [3]
- (vii) Now suppose that the situation is as before but with a total of 4 balls in the two bags. Write down the  $5 \times 5$  transition matrix for bag A. [3]

**END OF QUESTION PAPER**

**BLANK PAGE**

**BLANK PAGE**

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.