

Tuesday 13 June 2023 – Morning GCSE (9–1) Chemistry A (Gateway Science)

J248/02 Paper 2 (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. Do not write in the barcodes.									
Centre number						Candidate number			
First name(s)									
Last name									

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for a correct method, even if the answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.



Section A

You should spend a **maximum** of **30 minutes** on this section.

Write your answer to each question in the box provided.

1	A st	udent does a flame test with a sample of potassium chloride.	
	Whi	ch colour is the flame?	
	Α	Lilac	
	В	Green-blue	
	С	Red	
	D	Yellow	
	You	r answer	[1]
2	Wha	at is the test for chlorine gas?	
	Α	Damp universal indicator paper turns red then white	
	В	Decolourises bromine water	
	С	Limewater turns milky	
	D	Relights a glowing splint	
	You	r answer	[1]
3	Why	do marble chips react faster with warm hydrochloric acid than with cold hydrochloric acid	?
	Α	The warm hydrochloric acid acts as a catalyst.	
	В	The warm hydrochloric acid has more crowded particles.	
	С	The warm hydrochloric acid has particles with more energy.	
	D	The warm hydrochloric acid has particles that move slower.	
	You	r answer	[1]

- 4 Which conditions are needed for the rusting of iron to happen?
 - A Air and no water
 - **B** Air and oil
 - C Air and salt
 - **D** Air and water

Your answer [1]

5 What is the displayed formula of **ethanol**?

Your answer [1]

6	Тар	water is treated to make it safe to drink.	
	Whi	ch substance is added to the tap water to kill bacteria and microbes?	
	Α	Aluminium sulfate	
	В	Carbon dioxide	
	С	Chlorine	
	D	lodine	
	You	r answer	[1]
7	Met	hane is a hydrocarbon.	
	Whi	ch substance cannot be produced when methane burns in air?	
	Α	Carbon	
	В	Carbon dioxide	
	С	Hydrogen	
	D	Water	
	You	r answer	[1]
8	Bras	ss is an alloy used to make musical instruments.	
	Wha	at are the main metals in brass?	
	Α	Aluminium and copper	
	В	Copper and tin	
	С	Copper and zinc	
	D	Lead and tin	
	You	r answer	[1]

9	Wha	at was the main gas in the Earth's early atmosphere?	
	Α	Ammonia	
	В	Carbon dioxide	
	С	Nitrogen	
	D	Oxygen	
	You	er answer	[1]
10	Bro	mine reacts with sodium iodide.	
	Wha	at is the balanced symbol equation for the reaction?	
	Α	$Br + NaI \rightarrow NaBr + I$	
	В	$\mathrm{Br_2}$ + NaI \longrightarrow NaBr + $\mathrm{I_2}$	
	С	$\mathrm{Br_2}$ + 2NaI \rightarrow 2NaBr + $\mathrm{I_2}$	
	D	$\mathrm{Br_2} + \mathrm{NaI_2} \longrightarrow \mathrm{NaBr_2} + \mathrm{I_2}$	
	You	er answer	[1]
11	Amı	monia is made in the Haber process.	
	N_2	$+ 3H_2 \rightleftharpoons 2NH_3$	
	Wha	at happens when this reaction reaches equilibrium?	
	Α	The backward reaction happens at a faster rate than the forward reaction.	
	В	The forward and backward reactions happen at the same rate.	
	С	The forward and backward reactions stop happening.	
	D	The forward reaction happens at a faster rate than the backwards reaction.	
	You	er answer	[1]

12	Iron	objects can be protected from rusting by coating them with a layer of zinc.	
	Wha	at is this process called?	
	Α	Galvanising	
	В	Insulating	
	С	Oxidation	
	D	Reduction	
	You	r answer	[1]
13		cium carbonate, CaCO ₃ , thermally decomposes to make calcium oxide, CaO, and oon dioxide.	
	CaC	$\mathrm{CO_3} \rightarrow \mathrm{CaO} + \mathrm{CO_2}$	
	5.0	g of calcium carbonate makes 2.8 g of calcium oxide.	
	Hov	v much carbon dioxide is made?	
	Α	2.2g	
	В	2.8g	
	С	4.4 g	
	D	7.8g	
	You	r answer	[1]
14	Cru	de oil is a resource that is being made extremely slowly.	
	Whi	ch word describes a resource that is being made extremely slowly?	
	Α	Finite	
	В	Hydrocarbon	
	С	Non-renewable	
	D	Petrochemical	
	You	r answer	[1]

15 The Group 7 element fluorine is a gas at room temperature and pressure.

The Group 7 elements show a trend in boiling points going down the group.

Which row shows the boiling points of the Group 7 elements?


	Boiling Point (°C)						
	Fluorine Chlorine Bromine Iodine						
Α	-188	59	184	-15			
В	-188	-34	59	184			
С	188	184	59	– 15			
D	-15	184	188	59			

Your answer		[1]
-------------	--	-----

Section B

16 A teacher investigates the reaction between hydrochloric acid and magnesium.

The diagram shows the teacher's experiment.



- The teacher uses five different concentrations of hydrochloric acid.
- Each time they react the hydrochloric acid with 0.1 g of magnesium ribbon.
- They repeat the experiment with 0.1 g of magnesium powder.

The table shows the teacher's results.

	Time for magnesium to react (s)						
Concentration of hydrochloric acid (mol/dm³)	Magnesium ribbon	Magnesium powder					
0.5	201	117					
1.0	158	89					
1.5	77	48					
2.0	51	24					
2.5	37	16					

(a)	The teacher	says that the	reaction is	taster with	ı magnesium	powder th	an with	magnesium
	ribbon.							

Use the results to explain why the teacher is correct .	
	2

(b)	(i)	Describe how the rate of reaction changes when the concentration of the hydrochloric acid increases .
	(ii)	Explain your answer to (i) using ideas about particles.
		[2]
(c)	The	teacher used 0.1 g of magnesium.
	0.1	g of magnesium reacts with hydrochloric acid to make 0.008g of hydrogen gas.
		udent suggests that the rate of reaction could be investigated by measuring the loss in s during the reaction.
	Sug	gest why this method would not work well.
		[1]
(d)	Des	cribe the test for hydrogen gas.
		[2]
(e)	In a	nother experiment, the teacher reacts 0.1g of zinc with excess hydrochloric acid.
	Zn	+ $2HCl \rightarrow ZnCl_2 + H_2$
	Cald	culate the mass of hydrogen gas made.
	Rela	ative atomic mass (A_r) : H = 1.0 Zn = 65.4

Mass of hydrogen gas =g [3]

17 The table shows information about the physical properties of four elements, \mathbf{W} , \mathbf{X} , \mathbf{Y} and \mathbf{Z} .

	W	Х	Υ	Z
Density (g/cm ³)	0.97	7.87	0.003	1.74
Melting point (°C)	98	1538	-102	650
Conducts electricity?	1	1	Х	1

(a)	Whi	ch element is a non-metal?
	Give	e a reason for your answer.
	Eler	nent
	Rea	son[2]
(b)	One	of the elements is sodium in Group 1.
	Whi	ch element is sodium?
	Give	e a reason for your answer.
	Eler	nent
	Rea	son[2]
(c)	One	of the elements is a transition metal.
	(i)	Compare the physical and chemical properties of Group 1 metals and transition metals. Use the information in the table, and your own knowledge.
		[3]
	(ii)	Transition metals can be used as catalysts.
		What is meant by a catalyst?
		[2]

((d)	Iron	is a	transition	metal.
- 1	· • ·	11011	10 U	uanonion	III O LOI

Tho	list shows	tho	roactivity	corioc	of como	motale	Tho	alamont	carbon	ic alco	inclu	hoh
rne	list snows	s une	reactivity	series	or some	metais.	THE	element	Carbon	15 8150	IIICIU	ueu

	Mag Car Zind Iron	cium gnesium bon C	Most reactive	
	Cop		Least reactive m the compound iron oxide.	
		v is iron extracted from the information in the	m iron oxide? Explain your answer. e list.	
				 [2]
(e)	Iron	reacts with dilute sul	lfuric acid, H ₂ SO ₄ .	
	Iron	sulfate, FeSO ₄ , and	hydrogen gas, H ₂ , are made.	
	(i)	Write the balanced	symbol equation for this reaction.	
	(ii)	A student reacts 2.8	g of iron with dilute sulfuric acid.	[1]
	, ,	The student makes s		

They predicted that they should have made 7.6 g of iron sulfate.

Calculate their percentage yield.

Give your answer to 1 decimal place.

Percentage yield of iron sulfate = % [3]

Propane undergoes complete combustion in oxygen. Carbon dioxide and water are made.

(a) Write the **balanced symbol** equation for the complete combustion of propane.

.....[2]

(b) The table shows the energy given out when 1g of different alkanes burn.


Alkane	Number of carbon atoms	Energy given out (kJ)
methane	1	55.6
ethane	2	52.6
propane	3	50.4
butane	4	
pentane	5	48.7
hexane	6	48.4

(i) Plot a graph of the data from the table.

[2]

(ii) Draw a curve of best fit on your graph.

[1]



(iii) The energy given out when 1 g of butane burns is missing from the table.

Use the graph to estimate the energy given out by butane.

Energy given out by butane =kJ [1]

(iv) What name is given to the type of reaction that gives out energy?

______[1]

<i>(</i> - <i>)</i>	O 1 - 4 - 41	at a set a second	6		O 11
(C)	Complete the	aispiayea	Tormula	or propane,	$\cup_3 \sqcap_8$.




			[1]
(d)	Con	nbustion of alkanes makes carbon dioxide gas.	
	(i)	State an environmental problem caused by increased levels of carbon dioxide gas.	
			. [1]
	(ii)	Explain how this environmental problem can be reduced.	
			. [1]

15 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

19 A student plans a titration experiment.

The diagram shows some of the apparatus they use.



- (a) The student writes their method.
 - A Add a few drops of methyl orange indicator.
 - **B** Fill the burette with dilute hydrochloric acid. Record the initial reading on the burette.
 - **C** Empty the sodium hydroxide solution from the pipette into a conical flask.
 - **D** Stop adding the dilute hydrochloric acid when the indicator just changes colour.
 - **E** Repeat these steps until you have two concordant results.
 - **F** Use a pipette filler to fill a glass pipette with 25.0 cm³ of sodium hydroxide solution.
 - **G** Add the dilute hydrochloric acid to the sodium hydroxide solution while swirling the conical flask.

The steps in the method are **not** in the correct order.

Write the letters in the boxes to show the correct order of the steps. The first and last steps have been filled in for you.

В												E
---	--	--	--	--	--	--	--	--	--	--	--	---

[4]

		4.1	4.						
b)	I his i	s the	equation	for the	reaction	ın	the	experiment	

$${\rm NaOH~+~HC} l \longrightarrow {\rm NaC} l + {\rm H_2O}$$

(i) What type of reaction is this?

Tick (✓) one box.	
Polymerisation	
Neutralisation	
Reversible	
Thermal decomposition	

[1]

(ii) Water is a waste product in this reaction.

Calculate the **atom economy** for the reaction.

Relative atomic mass (A_r): H = 1.0 O = 16.0 Na = 23.0 Cl = 35.5

Atom economy = % [3]

20 Crude oil is separated into different fractions by fractional distillation.

Table 20.1 shows information about three of the molecules that are found in three different fractions.

Table 20.1

Molecule	Formula	Boiling point (°C)
nonane	C ₉ H ₂₀	151
heptadecane	C ₁₇ H ₃₆	302
octacosane	C ₂₈ H ₅₈	436

(a)	Whi	ch of these three molecules would be separated highest up the fractionating column?)
	Expl	lain your answer using ideas about molecular size and boiling point.	
	Mole	ecule	
	Rea	son	
			[3]
(b)		cking breaks down large molecules produced in fractional distillation into more useful ecules.	
	The	equation shows the cracking of octacosane.	
	C ₂₈	$_{8}H_{58} \rightarrow C_{12}H_{26} + 8C_{2}H_{4}$	
	octa	cosane dodecane molecule X	
	(i)	State the name of molecule \mathbf{X} , $\mathbf{C_2H_4}$.	
			[1]
	(ii)	Molecule \mathbf{X} has the general formula C_nH_{2n} .	
		Octacosane and dodecane are both alkanes and have a different general formula.	
		State the general formula of the alkanes.	
			[1]

(c) Table 20.2 shows the percentage supply and percentage demand for some of the different fractions obtained from crude oil.

Table 20.2

Fraction	Percentage supply (%)	Percentage demand (%)
LPG	2	4
petrol	5	23
naphtha	8	
kerosene	12	7
diesel oil	17	23
fuel oil	56	38

(i) Calculate the percentage demand for naphtha.

	Percentage demand for naphtha =% [1	1]
(ii)	Suggest why fuel oil, rather than diesel oil, is cracked to obtain petrol.	
		 []

21* A life-cycle assessment looks at the potential environmental impact at each stage of the life of a product.

Cat food is sold in plastic packets or metal cans.





The table shows information about these two containers.

	Plastic packet	Metal can
Raw Materials	Crude oil	Aluminium ore
Manufacture	Fractional distillation Cracking Polymerisation	Aluminium ore is mined Aluminium is extracted by electrolysis
Using the product	Usually single use	Usually single use but easily repurposed or upcycled
Disposal of the product	Harder to recycle Not biodegradable so takes up space in landfill 90% energy saved by recycling	Easier to recycle Not biodegradable so takes up space in landfill 95% energy saved by recycling

Use the information in the table, and your own scientific knowledge.
ia)

22 A student investigates two solutions, A and B.

They know that

- one solution contains a halide ion
- the other solution contains a different anion.

They test 2 cm³ of each solution for the halide ion using this method:

- Add a few drops of dilute hydrochloric acid and shake.
- Add a few drops of silver nitrate solution.
- Record the colour of the precipitate.

(a)	The teacher says that the student should have used a different acid instead of dilute
	hydrochloric acid.

(i)	State the name of the acid the student should have used.	
		. [1]
(ii)	Explain why using dilute hydrochloric acid would affect the results of this test.	
		[2

(b) The student repeats the test for halide ions using the correct acid and silver nitrate solution.

They also test each solution using a few drops of dilute hydrochloric acid followed by a few drops of barium chloride solution.

The table shows their results.

Solution	Observation with silver nitrate solution	Observation with barium chloride solution
Α	cream precipitate	no change
В	no change	white precipitate

State the name of the anion in each solution.	
Solution A	

	23
(c)	Solution A also contains copper ions, Cu ²⁺ .
	Copper ions react with hydroxide ions, OH ⁻ , to make a precipitate of copper(II) hydroxide.
	Write the balanced ionic equation for this reaction. Include the state symbols.
	ro.
	[3]
(d)	Barium chloride solid is toxic if swallowed and harmful if inhaled.
	Barium chloride solutions with concentrations of $21\mathrm{g/dm^3}$ are suitable for experiments in school.
	Calculate the mass of barium chloride that should be dissolved in $25\mathrm{cm}^3$ of water to make a solution with a concentration of $21\mathrm{g}/\mathrm{dm}^3$.
	Use the equation:
	concentration = $\frac{\text{mass}}{\text{volume}}$
	Give your answer to 2 significant figures.
	Mass of barium chloride = g [3]

23 The table shows information about three different polymers, A, B and C.

Tensile strength is the amount of load a material can take before it breaks.

	Melting point (°C)	Softening temperature (°C)	Stiffness (MPa)	Tensile strength (MPa)
Α	130	72	980	15
В	240	95	3200	65
С	250	75	2400	50

(a) A company wants to use a polymer to make a disposable cup for hot drinks.

Suggest and explain which polymer, A, B or C, the company should use.

Polymer	
Reason	
	[3]

(b) This is the repeating unit in polymer B.

$$\begin{array}{c|c} C_6H_5 & H \\ \hline \\ C & C \\ \hline \\ H & H \\ \hline \\ \\ \end{array}$$

Draw the structure of the monomer from which polymer ${\bf B}$ is made.

(c) Some substances are naturally occurring polymers.

Draw lines to connect each **monomer** with its naturally occurring **polymer**.

Monomer	Polymer	
amino acids	DNA	
nucleotides	proteins	
sugars	starch	[2]

END OF QUESTION PAPER

26

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).					

 ,	 	
 <u> </u>	 	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.